

# TEST REPORT

Test Report No. BLR/F(C/M)/22/025540  
Dated 2022-12-29



**Issued to** : ABHI FOODS(ABHI FOODS)  
3-80, Sunder Nagar, NH-16, Ravulapalem,  
East Godavari District,  
East Godavari, Andhra Pradesh,  
India - 533238.

**Attention** : Mr. S V V Dora Reddy,

**Customer Ref. No.** : Test Request Form, Dated : 2022-11-16

**Sample Particulars**

**Sample Name** : Abhi Eggs Dose Storage Conditions-Room Temperature-0th Day

**Sample No.** : BLR/F(C/M)/22/025540

**Batch No. / Lot No. / Mfg. Date / Best Before Date** : Batch No : 123B4 | Pkd Date : 16.11.2022 | Best Before : 21 Days from the Date of Packing

**Sample Package / Quantity** : Tradepack : 6 Eggs X 4 Numbers

**Sampled by** : Collected by Representative of TÜV SÜD South Asia Pvt Ltd (Mr. Somashekara.T)  
Sample Collected at M/s. ABHI FOODS (ABHI FOODS), Vijay Verma Apartments, ACES Layout, "A" block, Singasandra, Bangalore – 560068, Sample Collected Date & Time : 17.11.2022 & 01:02 pm

**Sampling Location** :

**Sampling Protocol** : Not Applicable

**Sample Condition** : Received in Good Condition

**Date of Sample Receipt** : 2022-11-17

**Date of Analysis** : 2022-11-17

**Date of Completion** : 2022-12-12

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link- <https://www.tuvsud.com/en-in/terms-and-conditions>

**Note: For any technical query, please contact . V G Ramesh at Ramesh.Vg@tuv-sud.in and for any complaint please contact .Arun George at arun.george@tuvsud.com**

Note: (1) The results relate only to the items tested, (2) the test report shall not be reproduced except in full without the written approval of the laboratory (3) For details of the accredited scope, please contact laboratory or accreditation body website. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

# TEST REPORT

**Test Report No. BLR/F(C/M)/22/025540**  
**Dated 2022-12-29**



## RESULTS

### Test Results – Non-accredited Parameters

Sr. No.	Parameter	Unit	LOQ	Result	Test Method
Chemical :					
1.	Alpha Linolenic Acid	mg/100g	-	184.5	AOAC 996.06, Chapter 41, 21st Edition : 2019
2.	Protein	(N X 6.68), g/100g	-	14.15	IS 7219 : 2015
3.	Vitamin D3 as Cholecalciferol	IU / 100g	-	1080	LAB_P_SOP_182
4.	Vitamin E	mcg/100g	-	10672	LAB_P_SOP_224
5.	Vitamin B9 - Folic Acid	mcg/100g	-	53.64	BLR_LAB_SOP_320
6.	Vitamin B2 - Riboflavin	mcg/100g	-	389	LAB_P_SOP_272
7.	Vitamin B12 - Cyanocobalamin	mcg/100g	-	3.64	BLR_LAB_SOP_321
8.	Vitamin B1 - Thiamine	mcg/100g	-	158	LAB_P_SOP_272
9.	Vitamin A ( as Retinol )	IU / 100g	-	1098	LAB_P_SOP_182
10.	Omega 3 Fatty Acids	mg/100g	-	613	AOAC 996.06, Chapter 41, 21st Edition : 2019
11.	Omega 6 Fatty Acids	mg/100g	-	975	AOAC 996.06, Chapter 41, 21st Edition : 2019
12.	Omega 9 Fatty Acids	mg/100g	-	4332	AOAC 996.06, Chapter 41, 21st Edition : 2019
13.	DHA	mg/100g	-	415	AOAC 996.06, Chapter 41, 21st Edition : 2019
14.	EPA	mg/100g	-	14	AOAC 996.06, Chapter 41, 21st Edition : 2019
15.	Fat	%	-	11.27	AOAC 925.32, Chapter 34, 21st Edition : 2019
16.	Carbohydrates	%	-	<0.5	IS 1656 : 2012
Metals & Minerals :					
17.	Selenium as Se	mcg/100g	-	113.4	Lab_P_SOP_221
Microbiology :					
18.	Enterobacteriaceae	cfu/ml	-	<1	ISO 21528-2 : 2004
19.	Listeria monocytogenes	/25 ml	-	Absent	ISO 11290-1 : 2017
20.	Salmonella	/25 ml	-	Absent	ISO 6579 - 1 : 2017
21.	Total Plate Count	cfu/ml	-	<1	ISO 4833 - 1 : 2013
22.	Yeast & Mould Count	cfu/ml	-	<1	ISO 21527 - 2 : 2008

NOTE: Unless otherwise agreed upon, Pass or Fail or Statement of compliance verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

# TEST REPORT

Test Report No. **BLR/F(C/M)/22/025540**  
Dated **2022-12-29**



Authorized By

*N. Arun Kumar*

Authorized By

*Neenu Shaji*

Authorized By

*Subhajit Roy Chowdhury*

N Arun Kumar  
(Team Leader)

Neenu Shaji  
(Senior Microbiologist)

Subhajit Roy Chowdhury  
(Senior Analyst)

- END OF TEST REPORT -

